

Name : Andal(83Y/F)

Date : 7 Jun, 2026

Test Asked : Complete Urine Analysis, Mic01 + 4 Others

Report Status : Interim Report



6^{STEP} quality control to ensure 100% report accuracy



Qualified and trained technicians



Temperature-controlled containers to store samples



Strict quality checks on samples before processing



Regular monitoring of lab analyzers by experts



Assured machine inspection on a daily basis



Verified reports by qualified pathologists



25+ Years
of Trust & Experience



100+ Crore
Samples Processed

Processed At :
2nd Floor, S1 & S2, Shyam
Samundra Apts, No.1, Alapakkam
Main Rd, Maduravoyal, Chennai –
600095



DOCON TECHNOLOGIES PRIVATE LIMITED, Office No.208, 209, 210 Second floor,
A wing, 'Dattani Plaza', Near East West Industrial Estate, Safed Pool, Saki Naka,
Andheri (East), Mumbai - 400072

Patient Name : ANDAL(83Y/F)
Referred By : SELF
Address : OLD NO 15 NEW 11 CHIRLA HOUSE HADDOWS ROAD 1ST STREET SUBBA
ROAD AVENUE NUNGAMBAKKAM CHENNAI TAMIL NADU GREAMS
ROAD CHENNAI

Tests Done : COMPLETE URINE
ANALYSIS,MIC01,FBS,PPBS,HBA
PROFILE,KIDPRO

Report Availability Summary

Note: Please refer to the table below for status of your tests.

4 Ready 0 Ready with Cancellation 0 Processing 0 Cancelled in Lab

TEST DETAILS	REPORT STATUS
HBA PROFILE	Ready
POSTPRANDIAL BLOOD SUGAR(GLUCOSE)	Ready
FASTING BLOOD SUGAR(GLUCOSE)	Ready
URINE CULTURE AND SUSCEPTIBILITY	Pending Import
KIDPRO	Ready
COMPLETE URINE ANALYSIS	Pending Import

Processed At :

2nd Floor, S1 & S2, Shyam
Samundra Apts, No.1, Alapakkam
Main Rd, Maduravoyal, Chennai –
600095



DOCON TECHNOLOGIES PRIVATE LIMITED, Office No.208, 209, 210 Second floor,
A wing, 'Dattani Plaza', Near East West Industrial Estate, Safed Pool, Saki Naka,
Andheri (East), Mumbai - 400072

Patient Name : **ANDAL(83Y/F)**
Referred By : **SELF**
Address : **OLD NO 15 NEW 11 CHIRLA HOUSE HADDOWS ROAD 1ST STREET SUBBA
ROAD AVENUE NUNGAMBAKKAM CHENNAI TAMIL NADU GREAMS
ROAD CHENNAI**

Tests Done : **COMPLETE URINE
ANALYSIS,MIC01,FBS,PPBS,HBA
PROFILE,KIDPRO**

Tests Outside Reference Range

Note: Please refer to the table below for tests outside reference range.

Test Name	Observed Value	Units	Bio. Ref. Interval.
DIABETES			
AVERAGE BLOOD GLUCOSE (ABG)	212	mg/dL	90-120
FASTING BLOOD SUGAR(GLUCOSE)	162.3	mg/dL	70-100
HbA1c	9	%	< 5.7
POSTPRANDIAL BLOOD SUGAR(GLUCOSE)	310.5	mg/dL	70-140
RENAL			
BLOOD UREA NITROGEN (BUN)	24.68	mg/dL	7.94 - 20.07
CREATININE - SERUM	1.29	mg/dL	0.55-1.02
EST. GLOMERULAR FILTRATION RATE (eGFR)	41	mL/min/1.73 m2	>= 90
UREA (CALCULATED)	52.82	mg/dL	Adult : 17-43
URIC ACID	6.2	mg/dL	3.2 - 6.1

Disclaimer: The above listed is the summary of the parameters with values outside the BRI. For detailed report values, parameter correlation and clinical interpretation, kindly refer to the same in subsequent pages.



DOCON TECHNOLOGIES PRIVATE LIMITED, Office No.208, 209, 210 Second floor,
A wing, 'Dattani Plaza', Near East West Industrial Estate, Safed Pool, Saki Naka,
Andheri (East), Mumbai - 400072

Patient Name : ANDAL(83Y/F)
Referred By : SELF
Address : OLD NO 15 NEW 11 CHIRLA HOUSE HADDOWS ROAD 1ST
STREET SUBBA ROAD AVENUE NUNGAMBAKKAM CHENNAI
TAMIL NADU GREAMS ROAD CHENNAI

Sample Collected on (SCT) : 07 Jun 2026 06:39
Sample Received on (SRT) : 07 Jun 2026 10:41
Report Released on (RRT) : 07 Jun 2026 12:00
Sample Type | Barcode : EDTA Whole Blood | FQ368649

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c	H.P.L.C	9	%

Bio. Ref. Interval. :

As per ADA Guidelines

Below 5.7% : Normal
5.7% - 6.4% : Prediabetic
>=6.5% : Diabetic

Guidance For Known Diabetics

Below 6.5% : Good Control
6.5% - 7% : Fair Control
7.0% - 8% : Unsatisfactory Control
>8% : Poor Control

Method : Fully Automated H.P.L.C method

AVERAGE BLOOD GLUCOSE (ABG)	CALCULATED	212	mg/dL
------------------------------------	-------------------	------------	--------------

Bio. Ref. Interval. :

90 - 120 mg/dl : Good Control
121 - 150 mg/dl : Fair Control
151 - 180 mg/dl : Unsatisfactory Control
> 180 mg/dl : Poor Control

Method : Derived from HBA1c values

Please correlate with clinical conditions.

Tests Done : BLOOD SUGAR (F),BLOOD SUGAR (PP),COMPLETE
URINE ANALYSIS,HBA PROFILE,KIDPRO,URINE
CULTURE & AST

Report Remarks : Clinically Tested by: Thyrocare Technologies Ltd

Archana M

Dr. Archana M MD(Path)

R. Akhilesh

Dr. Akhilesh R
MD(Path)



Scan QR to verify(valid for
30 days from release time)

Processed At :

2nd Floor, S1 & S2, Shyam
Samundra Apts, No.1, Alapakkam
Main Rd, Maduravoyal, Chennai –
600095



DOCON TECHNOLOGIES PRIVATE LIMITED, Office No.208, 209, 210 Second floor,
A wing, 'Dattani Plaza', Near East West Industrial Estate, Safed Pool, Saki Naka,
Andheri (East), Mumbai - 400072

Patient Name : ANDAL(83Y/F)
Referred By : SELF
Address : OLD NO 15 NEW 11 CHIRLA HOUSE HADDOWS ROAD 1ST
STREET SUBBA ROAD AVENUE NUNGAMBAKKAM CHENNAI
TAMIL NADU GREAMS ROAD CHENNAI

Sample Collected on (SCT) : 07 Jun 2026 06:39
Sample Received on (SRT) : 07 Jun 2026 10:44
Report Released on (RRT) : 07 Jun 2026 12:06
Sample Type | Barcode : FLUORIDE PLASMA | FO209245

TEST NAME	TECHNOLOGY	VALUE	UNITS
FASTING BLOOD SUGAR(GLUCOSE)	PHOTOMETRY	162.3	mg/dL

Bio. Ref. Interval. :-

As per ADA Guideline: Fasting Plasma Glucose (FPG)	
Normal	70 to 100 mg/dl
Prediabetes	100 mg/dl to 125 mg/dl
Diabetes	126 mg/dl or higher

Note :

The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic. The concentration of Glucose in a given specimen may vary due to differences in assay methods, calibration and reagent specificity. For diagnostic purposes results should always be assessed in conjunction with patients medical history, clinical findings and other findings.

Please correlate with clinical conditions.

Method:- GOD-POD METHOD

Tests Done : BLOOD SUGAR (F),BLOOD SUGAR (PP),COMPLETE
URINE ANALYSIS,HBA PROFILE,KIDPRO,URINE
CULTURE & AST

Report Remarks : Clinically Tested by: Thyrocare Technologies Ltd

Dr. Archana M MD(Path)

Dr. Akhilesh R
MD(Path)

Processed At :

2nd Floor, S1 & S2, Shyam
Samundra Apts, No.1, Alapakkam
Main Rd, Maduravoyal, Chennai –
600095



Patient Name : ANDAL(83Y/F)
Referred By : SELF
Address : OLD NO 15 NEW 11 CHIRLA HOUSE HADDOWS ROAD 1ST
STREET SUBBA ROAD AVENUE NUNGAMBAKKAM CHENNAI
TAMIL NADU GREAMS ROAD CHENNAI

Sample Collected on (SCT) : 07 Jun 2026 08:53
Sample Received on (SRT) : 07 Jun 2026 10:48
Report Released on (RRT) : 07 Jun 2026 12:10
Sample Type | Barcode : FLUORIDE PLASMA | FJ584157

TEST NAME	TECHNOLOGY	VALUE	UNITS
POSTPRANDIAL BLOOD SUGAR(GLUCOSE)	PHOTOMETRY	310.5	mg/dL

Bio. Ref. Interval. :-

As per ADA Guideline: Random/Post-Prandial Plasma Glucose (RPG/PPPG)	
Normal	70 to 140 mg/dl
Impaired Glucose Tolerance	140 - 199 mg/dl
Diabetes	Greater than or Equal to 200 mg/dl

Please correlate with clinical conditions.

Method:- GOD-POD METHOD

Tests Done : BLOOD SUGAR (F),BLOOD SUGAR (PP),COMPLETE
URINE ANALYSIS,HBA PROFILE,KIDPRO,URINE
CULTURE & AST

Report Remarks : Clinically Tested by: Thyrocare Technologies Ltd



Dr. Archana M MD(Path)



Dr. Akhilesh R
MD(Path)

Processed At :

2nd Floor, S1 & S2, Shyam
Samundra Apts, No.1, Alapakkam
Main Rd, Maduravoyal, Chennai –
600095



DOCON TECHNOLOGIES PRIVATE LIMITED, Office No.208, 209, 210 Second floor,
A wing, 'Dattani Plaza', Near East West Industrial Estate, Safed Pool, Saki Naka,
Andheri (East), Mumbai - 400072

Patient Name : ANDAL(83Y/F)
Referred By : SELF
Address : OLD NO 15 NEW 11 CHIRLA HOUSE HADDOWS ROAD 1ST
STREET SUBBA ROAD AVENUE NUNGAMBAKKAM CHENNAI
TAMIL NADU GREAMS ROAD CHENNAI

Sample Collected on (SCT) : 07 Jun 2026 06:39
Sample Received on (SRT) : 07 Jun 2026 10:44
Report Released on (RRT) : 07 Jun 2026 14:25
Sample Type | Barcode : SERUM | FN762558

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval
BLOOD UREA NITROGEN (BUN)	PHOTOMETRY	24.68	mg/dL	7.94 - 20.07
CREATININE - SERUM	PHOTOMETRY	1.29	mg/dL	0.55-1.02
BUN / SR.CREATININE RATIO	CALCULATED	19.13	Ratio	9:1-23:1
UREA (CALCULATED)	CALCULATED	52.82	mg/dL	Adult : 17-43
UREA / SR.CREATININE RATIO	CALCULATED	40.94	Ratio	< 52
CALCIUM	PHOTOMETRY	9.84	mg/dL	8.8-10.6
URIC ACID	PHOTOMETRY	6.2	mg/dL	3.2 - 6.1

Please correlate with clinical conditions.

Method :

BUN - Kinetic UV Assay.
SCRE - Creatinine Enzymatic Method
B/CR - Derived from serum Bun and Creatinine values
UREAC - Derived from BUN Value.
UR/CR - Derived from UREA and Sr.Creatinine values.
CALC - Arsenazo III Method, End Point.
URIC - Uricase / Peroxidase Method

Tests Done : BLOOD SUGAR (F),BLOOD SUGAR (PP),COMPLETE
URINE ANALYSIS,HBA PROFILE,KIDPRO,URINE
CULTURE & AST

Report Remarks : Clinically Tested by: Thyrocare Technologies Ltd

Dr. Archana M MD(Path)

Dr. Akhilesh R
MD(Path)

Processed At :

2nd Floor, S1 & S2, Shyam
Samundra Apts, No.1, Alapakkam
Main Rd, Maduravoyal, Chennai –
600095



DOCON TECHNOLOGIES PRIVATE LIMITED, Office No.208, 209, 210 Second floor,
A wing, 'Dattani Plaza', Near East West Industrial Estate, Safed Pool, Saki Naka,
Andheri (East), Mumbai - 400072

Patient Name : ANDAL(83Y/F)
Referred By : SELF
Address : OLD NO 15 NEW 11 CHIRLA HOUSE HADDOWS ROAD 1ST
STREET SUBBA ROAD AVENUE NUNGAMBAKKAM CHENNAI
TAMIL NADU GREAMS ROAD CHENNAI

Sample Collected on (SCT) : 07 Jun 2026 06:39
Sample Received on (SRT) : 07 Jun 2026 10:44
Report Released on (RRT) : 07 Jun 2026 14:25
Sample Type | Barcode : SERUM | FN762558

TEST NAME	TECHNOLOGY	VALUE	UNITS
EST. GLOMERULAR FILTRATION RATE (eGFR) Bio. Ref. Interval. :-	CALCULATED	41	mL/min/1.73 m2

> = 90 : Normal
60 - 89 : Mild Decrease
45 - 59 : Mild to Moderate Decrease
30 - 44 : Moderate to Severe Decrease
15 - 29 : Severe Decrease
<15 : Kidney Failure

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.

Method:- 2021 CKD EPI Creatinine Equation

~~ End of report ~~

Tests Done : BLOOD SUGAR (F),BLOOD SUGAR (PP),COMPLETE
URINE ANALYSIS,HBA PROFILE,KIDPRO,URINE
CULTURE & AST

Report Remarks : Clinically Tested by: Thyrocare Technologies Ltd

Archana M

Dr. Archana M MD(Path)

R. Akhilesh

Dr. Akhilesh R
MD(Path)



Scan QR to verify(valid for
30 days from release time)

CONDITIONS OF REPORTING

- ✓ The reported results are for information and interpretation of the referring doctor only.
- ✓ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ✓ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ✓ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ✓ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ✓ This report is not valid for medico-legal purpose.
- ✓ Docon Technologies Private Limited, Thyrocare Technologies Limited and its employees/representatives do not assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.

EXPLANATIONS

- ✓ **Name** - The name is as declared by the client and recorded by the personnel who collected the specimen.
- ✓ **Ref.By** - The name of the doctor who has recommended testing as declared by the client.
- ✓ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ✓ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ✓ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ✓ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ✓ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ✓ **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- ✓ Values out of reference range requires reconfirmation before starting any medical treatment.
- ✓ Retesting is needed if you suspect any quality shortcomings.
- ✓ For suggestions, complaints or feedback, write to us at grievance-office@docon.co.in or call us on 7022000900.

PharmEasy
Here's to a healthier you!
Order Medicines from PharmEasy,

GET FLAT 25% OFF + **FREE DELIVERY**
on first 3 medicine orders

Use code: **25GET**

Download the app
Available on the App Store | GET IT ON Google Play
OR
Scan the QR code

*T&C Apply | Min. order value ₹1000